UNIVERSAL

UNIVERSAL
CERTIFICATION

NB 2163

EU TYPE EXAMINATION CERTIFICATE

Certificate No: 2163-PPE-844

Respiratory protective devices, filtering half masks to protect against particles manufactured by

Zhejiang Dianfeng Industrial Co., Ltd.
Building 1, No.602 Cuiwei Road, Caozhai Town, Jindong District,
Jinhua City, Zhejiang Province, China

are tested and evaluated according to

EN 149:2001 + A1:2009 Respiratory Protective Devices - Filtering Half Masks to Protect Against Particles - Requirements, Testing, Marking

Based on the type examination conducted with the evaluation of test reports, technical file according to Personal Protective Equipment Regulation (EU) 2016/425 Annex 5, it is approved that the product meets the requirements of the regulation.

Product Definition

Brand Name: SUMMIT PERSON **Model:** M9502
Filtering half mask
Classification: FFP2 NR

Here by the manufacturer is allowed to use notified body number (2163) and can fix CE mark, as shown below, on the Category III product models given above, with;

- Issuing an appropriate EU Declaration of Conformity according to **Personal Protective Equipment Regulation (EU) 2016/425 Annex 9**.
- Ongoing successful performance in fulfilment of the requirements set out in Personal Protective **Equipment Regulation (EU) 2016/425** and harmonised standards, ensured by assessments based on **Annex 7 (Module C2) or Annex 8 (Module D)** of the regulation no later than 1 year from the beginning of serial production

This certificate is initially issued on **25/06/2020** and will be valid for 5 years, if there is no change in the relevant harmonised standard affecting the essential health and safety requirements.

CE
2163

Suat KAÇMAZ
UNIVERSAL CERTIFICATION
Director

Verify the validity with the QR code

Necip Fazıl Bulvarı Keyap Sitesi E2 Blok No:44/84 Yukarı Dudullu Ümraniye - İSTANBUL - TURKEY T:+90 216 455 80 80
UNIVERSALCERT.COM

UNIVERSAL

UNIVERSAL
CERTIFICATION

NB 2163

CERTIFICATE OF CONFORMANCE

Certificate No: 2163-PPE–844/01

Respiratory protective devices, filtering half masks to protect against particles manufactured by

Zhejiang Dianfeng Industrial Co., Ltd.
Building 1, No.602 Cuiwei Road, Caozhai Town, Jindong District, Jinhua City, Zhejiang Province, China

Continues to fulfil the requirements of

EN 149:2001 + A1:2009 Respiratory Protective Devices - Filtering Half Masks to Protect Against Particles - Requirements, Testing, Marking

Based on the evaluation of test reports and internal quality control audit reports according to EN 149+A1:2009 and Personal Protective Equipment Regulation (EU) 2016/425 Annex VII (Module C2). This certificate implies that the manufactured products show below are in conformance with the approved EU Type Examination model and meets the requirements of the regulation.

Product Definition

Model	Class	EU Type Examination Certificate		
		Serial No	Date	Issuing NB No
SUMMIT PERSON / M9502	FFP2 NR	2163-PPE-844	25.06.2020	2163

Here by the manufacturer is allowed to use notified body number (2163) and can fix CE mark, as shown below, on the Category III product models given above, with;

- Issuing an appropriate EU Declaration of Conformity according to **Personal Protective Equipment Regulation (EU) 2016/425 Annex 9**.
- Taking all measures necessary so that the manufacturing process and its monitoring ensure the homogeneity of production and conformity of the manufactured PPE with the type described in the EU type examination certificate.

This certificate is issued on **20/07/2020** and will be valid for one year, until **19/07/2021** if the manufacturer makes no major change in the product designs and manufacturing processes affecting the product performance on the essential health and safety requirement.

CE
2163

Suat KAÇMAZ
UNIVERSAL CERTIFICATION
Director

Verify the validity with the QR code

Necip Fazıl Bulvarı Keyap Sitesi E2 Blok No:44/84 Yukarı Dudullu Ümraniye - İSTANBUL - TURKEY T:+90 216 455 80 80
UNIVERSALCERT.COM

EU Declaration of Conformity

Annex IX PPE Regulation(EU)2016/425

This EU Declaration of conformity refers to the following products

Product Name	Model	Classification/Type	Batch No./Serial No./Identifier
Filtering half mask	M9502	FFP2 NR	

The Manufacturer's name and address is as follows:

Name：	Zhejiang Dianfeng Industrial Co., Ltd.
Address：	No.602 Cuiwei Road, Caozhai Town, Jindong District, Jinhua City, Zhejiang Province, China

This Declaration of Conformity is issued under the sole responsibility of the Manufacturer.

Model: M9502

White folder half mask without valve

The article identified in product category is in conformance with the relevant Union Harmonization Legislation Regulation (EU)2016/425.

References to the relevant harmonized standards used, including the date of the standard, or references to the other technical specifications, including the date of the specification, in relation to which conformity is declared:

No.	Harmonized standard name
1	EN 149:2001+A1:2009

Universal Certification and Surveillance Service Trade Ltd. Co.(NB 2163) performed the EU Type Examination (Module B) and issued the Type Examination Certificate Number：

No.	EU Type Examination (Module B)Certificate Number
1	2163-PPE-844

Product Category.

☐ This product is CategoryII.

☒ This product is Category III and is subject to Module C2 internal production control plus supervised product checks at random intervals and is under the surveillance of Universal Certification and Surveillance Service Trade Ltd.Co.（NB 2163）

☐ This product is Category III and is subject to Module D Conformity to type based on quality assurance of the production process and is under the surveillance of Universal Certification and Surveillance Service Trade Ltd.Co.（NB 2163）

Signature: Date：2021.10.20

Company stamp and/or legal signature: 浙江巅峰实业有限公司 Zhejiang Dianfeng Industrial Co., Ltd.

ATT GERMANY GMBH

EU-Konformitätserklärung für eine PSA der Kategorie III

Der in der EU niedergelassene Inverkehrbringer

ATT Germany GmbH
Ludwig-Erhard-Str. 2
65760 Eschborn

trägt die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung und erklärt hiermit, dass die nachstehend beschriebene Persönliche Schutzausrüstung (PSA)

Atemschutzmasken, weiß, PP-Vlies

Summit Person

Atemschutzmaske FFP2 NR ohne Ventil, Model: M9502

gemäß den uns vorliegenden relevanten Prüfberichten und/oder Bescheinigungen den Bestimmungen der Verordnung (EU) 2016/425 entspricht:
Dabei wurden die folgenden harmonisierten Normen erfüllt:

EN 149:2001+A1:2009

Die notifizierte Stelle:

Universal Certification and Surveillance service Trade Ltd. Co.
Tatlısu Mah. Arif Ay Sk. No: 16-3
Umraniye-Istanbul
Türkei

Kennnummer: 2163

hat die EU-Baumusterprüfung (Modul C2) durchgeführt und die EU-Baumusterprüfbescheinigung

Zertifikats-Nr.: 2163-PPE-844

ausgestellt. Die PSA unterliegt folgendem Konformitätsbewertungsverfahren:
Konformität mit dem Baumuster auf der Grundlage einer Qualitätssicherung bezogen auf den Produktionsprozess (Modul D) gemäß Anhang VIII – durchgeführt durch:

Universal Certification and Surveillance service Trade Ltd. Co., Kennnummer: 2163

Unterzeichnet für und im Namen von der ATT Germany GmbH:

ATT GERMANY GMBH
Ludwig-Erhard-Str. 1 A
D-65760 Eschborn
Tel: +49 6196 7761845
Fax: +49 6196 775204

Eschborn, den 20.12.2020

Like Ge
Geschäftsführer

Hausanschrift:
Ludwig-Erhard Straße 1A
D-65760 Eschborn
Tel.: +49 (0) 6196 7761845
Fax: +49 (0) 6196 775204

Amtsgericht:
Frankfurt am Main
HRB 75934
Geschäftsführer:
Like Ge

Lieferanschrift:
Ludwig-Erhard Straße 1
D-65760 Eschborn

Ust.-Id.-Nr.:
DE 245 648 242
Steuer-Nr.:
040 288 80070

Bankverbindung:
Commerzbank
IBAN:
DE89 5004 0000 0382 9884 00
BIC: COBADEFF

M9502 FFP2 NR - Atemschutzmaske

Zertifikat + EU-Konformitätserklärung einsehbar unter:
https://psa.attgermany.com/wp-content/uploads/2020/12/Dianfeng_15043_Zertifikat.pdf

Anwendungen:

Filtrierende Halbmasken der Kategorie FFP2, das normalerweise in der allgemeinen Arbeitsumgebung verwendet wird, sollen einen zuverlässigen Atemschutz bieten und vor bestimmten luftgetragenen Partikeln und Staub schützen, Körperflüssigkeiten blockieren usw.

Vorsichtmaßnahmen:

1. Diese Maske, die mit „NR“ gekennzeichnet ist, darf nicht für mehr als eine Schicht verwendet werden.
2. Niemals Teile in der vom Hersteller angegebenen Konfiguration ersetzen, ändern hinzufügen oder weglassen.
3. Diese Maske trägt zum Schutz gegen bestimmte partikelförmige Verunreinigungen bei, schließt jedoch das Risiko einer Erkrankung oder Infektion nicht vollständig aus.
4. Verwenden Sie die Maske nicht mit Gesichtsbehaarung oder anderen Bedingungen, die eine gute Gesichtsabdichtung verhindern können, die Anforderungen an eine Leckage werden nicht erfüllt.
5. Tragen Sie die Atemschutzmaske ununterbrochen, solange Sie Verschmutzungen ausgesetzt sind.
6. Verlassen Sie den verschmutzten Bereich sofort, wenn Schwindel, Übelkeit oder andere Beschwerden auftreten.
7. Wenn Sie KEINEN richtigen Dichtsitz erreichen können, betreten Sie NICHT den Gefahrenbereich.
8. Verwerfen und ersetzen Sie die Maske, wenn:

a. Die Maske wurde entfernt, während Sie sich in den kontaminierten Bereichen befinden.
b. Das Verstopfen der Maske verursacht Atembeschwerden.
c. Die Maske ist oder wurde beschädigt.

Anleitung

1. Entfalten Sie die Maske und ziehen Sie die Bänder an beiden Enden um die Ohren herum und positionieren Sie die Maske auf ihrem Gesicht mit dem verstellbaren Nasenbügel nach oben zeigend.
2. Passen Sie den Nasenbügel an ihre Nasen an, um zu gewährleisten, dass die Maske sicher versiegelt und der Nasenform angepasst ist.
3. Drücken Sie die Maske leicht auf ihr Gesicht auf, um sie der Gesichtsform anzupassen.
4. Führe Sie ein Dichtungstest mit die Maske durch.

Dichtungstest:

1. Bedecken Sie die Maske vorsichtig mit beiden Händen ohne den Dichtsitz zu verändern. 2. stark Ausatmen; 3. Bei einer Leckage im Nasenbereich, den Nasenbügel neu anpassen. Dichtsitzprüfung wiederholen. 4. Bei einer Leckage am Maskenrand, den Sitz der Bänder überprüfen und anpassen. Dichtsitzprüfung wiederholen.

Lagerung/ Aufbewahrung /Transport:

Halten Sie die Masken in der Verpackung bis zur Verwendung von direktem Sonnenlicht oder Verunreinigungen fern. Lagerung Bedingungen: Temperatur zwischen -30°C bis +70°C, Luftfeuchtigkeit <80%, kein korrosives Gas, gute Belüftung. Während des Transports von Feuchtigkeit, Licht und Wärme fernhalten und es darf nur in Originalverpackung transportiert werden.

Die Atemschutzmaske ist nur für den einmaligen Gebrauch bestimmt und nicht wiederverwendbar.

Nicht steril.

EU-Type Examination Notified Body

Notified Body: Universal Certification and Surveillance Service Trade Ltd. Co.

Adresse: Tatlısu Mah. Arif Ay Sk. No:16-3 Umraniye-Istanbul, Turkei

Notified Body No: 2163

Model: M9502 EN149:2001+A1:2009 CE 2163

Inhalt: FFP2 NR Atemschutzmasken

Herstellungsdatum: auf der Verpackung **Ablaufdatum:** auf der Verpackung

Hersteller: Zhejiang Dianfeng Industrial Co., Ltd.
Building 1, No. 602 Cuiwei Road, Caozhai Town, Jindong District, Jinhua City, Zhejiang Province, China

Inverkehrbringer: ATT Germany GmbH, Ludwig-Erhard-Str. 1, 65760 Eschborn, Germany